	Ref #	Type	Hits	Search Text	DBs
4	S4	BRS	14047	coil and (flash flashes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	S5	BRS	248	coil and (flash flashes) and bobbin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	S6	BRS	58	bobbin same (flash flashes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	S7	BRS	35	(bobbin same (flash flashes)) and coil	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	S8	BRS	6	(coil wire) and insluation and (thickness width)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	S9	BRS	38992	(coil wire) same (coating layer insluation) same (thickness width)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	S10	BRS	929	(coil wire) same (coating layer insluation) same (thickness width) and bobbin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	S11	BRS	322	(coil wire) same ((coating layer insluation) near3 (thickness width)) and bobbin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	S12	BRS	6	(coil wire) same ((coating layer insluation) near3 (thickness width)) and bobbin and flash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Type	Hits	Search Text	DBs
13	S13	BRS	6	(coil wire) same ((coating layer insluation) near3 (thickness width)) and bobbin and (flash flashes flashing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	S14	BRS	6	(coil wire) same (coating layer insluation) same (thickness width) and bobbin and (flash flashes flashing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	S15	BRS	14	(coil wire) same (coating layer insluation) and bobbin same (flash flashes flashing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	S16	BRS	3	335/299.ccls. and flash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	S17	BRS	3	"3851830".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	S18	BRS	14	"3851830".URPN.	USPAT
19	S19	BRS	211381	(coil wire) and (insluat$4 coating layer) and (thickness width)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	S20	BRS	235614	(coil wire winding) and (insluat$4 coating layer) and (thickness width)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Type	Hits	Search Text	DBs
21	S21	BRS	10	("3851830".pn. "3851830".URPN.) and ((coil wire winding) and (insluat$4 coating layer) and (thickness width))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	S22	BRS	46086	(coil wire winding) same (insluat$4 coating layer) same (thickness width)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	S23	BRS	6	("3851830".pn. "3851830".URPN.) and ((coil wire winding) same (insluat$4 coating layer) same (thickness width))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	S24	BRS	12613	(coil wire winding) same (insluat$4 coating) same thickness	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	S25	BRS	4697	(coil wire winding) same (insluat$4 coating) near3 thickness	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	S26	BRS	890	(coil wire winding) near3 (insluat$4 coating) near3 thickness	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	S27	BRS	57627	"335"/$.ccls. "336"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	S28	BRS	24	((coil wire winding) near3 (insluat$4 coating) near3 thickness) and ("335"/$.ccls. "336"/$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Type	Hits	Search Text	DBs
29	S29	BRS	419	(coil wire winding) adj3 (insluat$4 coating) adj3 thickness	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	S30	BRS	561	((coil wire winding) near3 (insluat$4 coating)) and ("335"/$.ccls. "336"/$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	S31	BRS	2476935	coating housing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	S32	BRS	560	(((coil wire winding) near3 (insluat$4 coating)) and ("335"/$.ccls. "336"/$.ccls.)) and (coating housing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	S33	BRS	2	"20020050899"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	S34	BRS	1	(coil wire) same ((coating layer insluation) same ("thermoset epoxy" and enamel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	S35	BRS	17	(coil wire) and (coating layer insluation) and "thermoset epoxy" and enamel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	S36	BRS	17	(coil wire conductor) and (coating layer insluation) and "thermoset epoxy" and enamel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Type	Hits	Search Text	DBs
37	S37	BRS	26	(coating layer insluation) and "thermoset epoxy" and enamel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	S38	BRS	767	(coating layer insluation) and thermoset and enamel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	S39	BRS	34	(coil wire conductor) same (coating layer insluation) same (thermoset and enamel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	S40	BRS	34	((coil wire conductor) same (coating layer insluation)) same (thermoset and enamel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	S41	BRS	27	(thermoset adj epoxy) and enamel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	S42	IS&R	2176	(336/90,198).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	S43	BRS	33404	coil and cover and (mold molded molding)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	S44	BRS	148	S42 and S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Type	Hits	Search Text	DBs
45	S45	BRS	2871	coil same cover same (mold molded molding)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	S46	BRS	42	S42 and S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	S47	BRS	15	("3430174" | "3953099" | "4256920" | "4284312" | "5153550" | "5173053").PN. OR ("5710535").URPN.	US-PGPUB; USPAT; USOCR
48	S49	BRS	1	"2000262024"	JPO
49	S50	IS&R	319	(310/257).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	S51	BRS	1183	h02k015/$ and inject$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	S52	IS&R	1223	(310/43).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	S53	IS&R	2003	(310/49r).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	S54	IS&R	3009	(310/12).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Type	Hits	Search Text	DBs
54	S55	IS&R	428	(310/80).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	S56	BRS	6729	S50 S52 S53 S54 S55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	S57	BRS	541	S56 and inject$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	S58	BRS	358	S57 and coil	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	S59	BRS	857	S56 and (inject$ mold$) and coil	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
59	S60	BRS	235	silicon with bobbin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
60	S61	BRS	315	lubric$5 with bobbin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
61	S62	BRS	43	S61 same (conductor wire)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Type	Hits	Search Text	DBs
62	S63	BRS	44	("2975307" | "3940935" | "4150544" | "4579006" | "4586335" | "4920255" | "4977886" | "5015833" | "5144120" | "5172551" | "5245172" | "5266787" | "5312152" | "5344506" | "5386105" | "5397885" | "5414940" | "5556370" | "5563466" | "5581068" | "5679941" | "5685148" | "5763979" | "5901554" | "6218762" | "6326707" | "6574958").PN. OR ("5979760" | "6832477").URPN.	US-PGPUB; USPAT; USOCR
63	S64	BRS	680	335/299.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
64	S65	IS&R	2267	(336/90,198).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB